

Product Data Sheet

ISO-RC-Screw Lock Lacquer 7 / 25 DIDA

Description:

ISO-RC-Screw lock lacquer 7 / 25 DIDA is a one component varnish that cures chemically by interaction with moisture or hydrogen active compounds. The product adheres to nearly all surfaces. The chemical resistance is excellent.

Use as screw lock lacquer:

The dried lacquer prevents the unintentional loosening of screwed connections, nuts and bolts. The material is applied by dropping to the (dust- and grease-free) point to be sealed.

Technical Data:

Density	1,135 ± 0,005 g/cm ³ @ 20 °C
Viscosity	50-300 mPa s @ 25 °C
curing:	chemically curing at room temperature
temperature resistance:	130°C, decomposition > 180°C
colours:	brown
storage:	keep dry and well closed, shelf life: min. 12 months

Please see material safety data sheet for additional information.

This data sheet replaces previous issues.

Edition: 10.01.17

Our technical advice - whether verbal, in writing or by way of trials - is given in good faith but without warranty, and this also applies where proprietary rights of third parties are involved. It does not release you from the obligation to test the products supplied by us as to their suitability for the intended processes and uses. The application, use and processing of the products are beyond our control and therefore entirely your own responsibility. Should, in spite of this, liability be established for any damage, it will be limited to the value of the goods delivered by us and used by you. Of course we will provide products of consistent quality within the scope of our General Conditions of Sale and Delivery.